

PURAFLAKE®

Borosilicate Cosmetic Fillers

Product Code: GFE-PF100-HH

Technical Information

PuraFlake® cosmetic filler series are based on our ultra-thin borosilicate glassflakes which have an average thickness of 1µm. An alternative high purity synthetic filler giving improved skin feel.

Composition				
Ingredients	Composition	By Weight (%)	CAS No.	CI No.
Calcium Sodium Borosilicate	Glass	100	65997-17-3	-

Nominal flake thickness (µm):	Uncoated	1.0		(By Laser Diffraction)
Particle Size Diameter (µm):	Mean	D10 5	D90 60	

pH:	7.0 - 11.0	(10% Aqueous Suspension)
Loss on Drying:	0.5 % max	

Trace Elements - Typical: (Total Pigment)	Mercury (Hg)	1 ppm max	IEC 62321:2013 ICP-MS
	Arsenic (As)	2 ppm max	
	Lead (Pb)	5 ppm max	
	Cadmium (Cd)	2 ppm max	
	Barium (Ba)	50 ppm max	
	Antimony (Sb)	2 ppm max	
	Chromium (Cr)	15 ppm max	
	Nickel (Ni)	10 ppm max	
	Copper (Cu)	5 ppm max	
	Cobalt (Co)	2 ppm max	
	Selenium (Se)	2 ppm max	
Microorganisms:	100 CFU/g max.	No Pathogens	
According to ISO 16128-2	Natural/Natural Origin Index No.: = 1	Organic Index No.: = 0	

Glassflake Ltd
Forster Street, Leeds, LS10 1PW, England
info@moonshinepigments.com www.moonshinepigments.com

This information is given in good faith without guarantee or liability. All values are approximate.